istrict: CUTTACK Block: NISCHINTAKOILI ame of School: GOVT. U.G. HIGH SCHOOL, JAMARA		1 -0	ICT Lab Status Report of ICT@Scho	
Implementing Paramet Cade: Implementing Paramet Cade:			80)	Date: 0/- 10 - 10
More of the Institution Name More of Computer Deskoog/Saved By Deskoog/Saved By Deskoog/Saved By Node 01 Node 02 Node 03 Node 04 Node 05 Node 05 Node 05 Node 06 Node 06 Node 06 Node 06 Node 07 Node 06 Node 07 Node 07 Node 08 Node 08 Node 09	District:		6. 11671 COULDAY TOMARA	Block: NISCHINTHKOILI
No. No. of Computer	Address:	- Control Cont		Implementing Parnter Code: ODZ3-COTH - 0936
No. of Computer Nate of Specification Note of Sp				
Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Deskop(Genver) Septiment (1900) Septiment (1				I I I I I I I I I I I I I I I I I I I
Decktogo(Stand By) Decktogo(Stand By) Decktogo(Stand By) September 12D resistion plants and properly and properly and optical more with a loan? I fee fall begin PTC Node 01 Node 02 Node 03 Node 04 Node 05 Node 05 Node 05 Node 06 Node 06 Node 07 OLDT/CD/Trogger and confidence with scale contents 1000.1 Robert 07 Node 07 OLDT/CD/Trogger and confidence with scale contents 1000.1 Node 08 Node 08 Node 09 Node 09 Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Lamestection of projector K-Van Oldford (Yes Van No.) Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Available(Yes Van No.) Available(Yes Van No.) Available(Yes Van No.) Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Available(Yes Van No.) Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Available(Yes Van No.) Available(Yes Van No.) Available(Yes Van No.) Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Available(Yes Van No.) Node 10 Tolgerian System DLF Technology Erigineses: 2500.4 Available(Yes Van No.) Working (Yes Van No.) Available(Yes Van No.) Available(Yes Van No.) Available(Yes Van No.) Working (Yes Van No.) Available(Yes Van No.) Available(Yes Van No.) Working (Yes Van No.) Available(Yes Van No.)	Sl. No.			
Desitorop(Stand By) Supposed and optical moses with a teas of fee full heigh PCT Available(Yes V No) Working (Yes V No)	-	Desktop(Server)	cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop	
Node 02 Node 03 Node 04 Node 05 Node 06 Node 06 Node 06 Node 07 Node 07 Node 08 Node 08 Node 08 Node 09 Node 10 Psyciote System DIF Technology Engineers 2500 ANSI Lampicate November 2001 Compater Projectic K, Yan Lampicate November 2001 Compater Projectic K, Yan Integrated Compater Projectic K, Yan Integrated Compater Projectic K, Yan Active Size Minimum 77 diagonal Active Active Minimum 78 diagonal Active Active		Desktop(Stand By)	keyboard and optical mouse with at least 2 free full height PCI	
Node 03		Node 01		
19-liche for higher LLD proclete with audic contract (100-) Node 05		Node 02	10 in has higher LED market with state and that 1000 L	Available(Yes / No) Working (Yes / No)
Note 05 Note 05 Note 06 Note 07 Note 06 Note 07 Note 07 Note 08 Note 07 Note 08 Note 09 Note 10 Note 1		Node 03		Available(Yes // No) Working (Yes // No)
Node 06 Node 07 Node 08 Node 09 Projection System3DL P Technology: Hightness 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-administration SYLA) (100 Solid) (Contrate Status 2500-ANSI Larment/Short Times) (Feed-Ansi 100 Solid Status 2500-ANSI Larment/Short Times)	1	Node 04	resolution of 1440 x 900 and VGA connectivity with matt	Available(Yes // No) Working (Yes // No)
Node 07		Node 05	black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes // No) Working (Yes // No)
Node 07		Node 06		Available(Yes / No) Working (Yes / No)
Node 08 Node 09 Node 10 Polyceion System DP P Technology Brightness 2500 Available(Yes a No Working (Yes No) Available(Yes a No) Working (Yes No) Node 10 Polyceion System DP P Technology Brightness 2500 ANN Lancett/Sheft Through Beaudation SYG/MOD Story 1 Ratio 2500 A Computer Projector K-Yas Ratio 2500 A Computer Projector K-Yas Ratio 2500 A Computer System Not architecture, 12 of Ita- congraphed Computer Projector K-Yas Imagened Computer Projector K-Yas Ratio 2500 A Computer System Not architecture, 12 of Ita- congraphed Computer Projector K-Yas Ratio 2500 A Computer System Not architecture, 12 of Ita- congraphed Computer Projector K-Yas Ratio 2500 A Computer System Not architecture, 12 of Ita- congraphed Computer Projector K-Yas Ratio 2500 A Computer System Not architecture, 12 of Ita- congraphed Computer Projector K-Yas Ratio 2500 A Computer System Not Architecture, 12 of Ita- congraphed Computer Projector K-Yas Ratio 2500 A Computer System Not Architecture, 12 of Ita- Ratio 2500 A Computer Projector Ratio 2500 A Computer Ratio 2500 A		Node 07		Available(Yes // No) Working (Yes // No)
Node 10 Projection System DLP Technology-Brightness 2506-ANSI LamenedShort Throw)Resolution SVIA(300 3600). Contrast Ratio: 25001. Comparison System DLP Technology-Brightness 2506-ANSI LamenedShort Throw)Resolution SVIA(300 3600). Contrast Ratio: 25001. Comparison System DLP Technology-Brightness 2506-ANSI LamenedShort Throw)Resolution SVIA(300 3600). Contrast Ratio: 25001. Comparison System DLP Technology-Brightness 2506-ANSI LamenedShort Throw)Resolution SVIA(300 3600). Contrast Ratio: 25001. Comparison System Wild Day Brights AG DIDRS Ratio expandable to 16 CB, 500 GB Serial SATA II T200 RPM IID). Optical Day Wild Resolution Start Tay T200 RPM IID). Optical Day Wild Resolution Start Tay T200 RPM IID). Optical Day Village SVIA Start Start Tay T200 RPM IID). Optical Day Village SVIA Start St		Node 08		Available(Yes No) Working (Yes No)
Node 10 Projection System/DLP Technology:Hrightness:2500-ANSI Lament(Short Throw)Resolution: SVGA(800.600); Centrast Reitic 2500:1 Computer System 286 architecture, 3.2 GHz or higher with 4 decleated cross, Minimum 4 MB, 1.3 celebo, compatible chipsed with 1D garbitics 4 GB DDR3 RAM cognatables to 16 (30) RN BM Self-State 1 (30) RN Self-	-	Node 09		
Projection System DLP Technology Brightness 2590-ANN Community		300-30		
Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 Aspect Ratio 43. Board Surface: Durable Hard-coased steel surface, optimized for projection, maintenance fice, compatible with dry-crase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (PNA). Operating System: Windows XT8 573, Windows Vista® 572 or Windows XT8 579, Windows Vista® 572 or Windows XT8 572 or Windows	2	Integrated Computer Projector K-Yan	Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical seroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable	
black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: his peed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing. Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, THF(Compressed & Uncompressed), PDF, Giff; BMP, Scan resolution, optical: up to 1200 dpi, certified by IDC ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output Networking Switch(16 Port) D-Link Available(Yes // No	3		Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-crase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA), Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100	
power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output D-Link Available(Yes // No //	4	MFP Printer(HP/RICOH)	black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP,	Available(Yes // No) Working (Yes // No)
5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes No) Working (Yes No)	5	Online UPS(Delta)	power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the	Available(Yes // No) Working (Yes // No)
input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes // No) Working (Yes // No)	6	Networking Switch(16 Port)	D-Link	Available(Yes // No) Working (Yes // No)
8 Available (Yes / / No) Working (Yes / / No)	7	Servo Stabiliser(Protect)	input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to	Available(Yes No) Working (Yes No)
	8	TELESCHICK STATES STATES STATES		Available(Yes No) Working (Yes No)

	Quantity	Make / Specification	Status			
1	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes/ No) Working (Yes/ No)			
10	Headphones(40)	Headphone with Mic	Available(Yes No) Working (Yes No)			
11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes/No) Working (Yes/No)			
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes // No) Working (Yes // No)			
13	Computer Table 13 Units	Tajpuria	Available(Yes)			
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes // No)			
15	Ceiling Fan(2)	NA	Available(Yes // No) Working (Yes // No)			
16	Exhaust Fan(2)	NA .	Available(Yes // No) Working (Yes // No)			
17	Tube Light(4)	NA	Available(Yes // No) Working (Yes // No)			
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes // No) Working (Yes // No)			
19	Electrical Meter	NA .	Available(Yes // No) Working (Yes // No)			
20	Earthing	NA	Available(Yes // No) Working (Yes // No)			
21	Networking	NA	Available(Yes / No) Working (Yes / No)			
22	Vinyl Flooring	Vinyl	Available(Yes No)			
23	Painting	NA	Available (Yes // No)			
24	Curtain	NA	Available(Yes // No)			
25	Wall Clock	NA	Available(Yes/ No)			
26	Notice Board	NA	Available(Yes // No)			
27	White Board	NA	Available(Yes No)			
28	Lab Cleanliness kit	NA	Available(Yes // No)			
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes / No)			
Sl. No.	Y	Recurring Servic	ES Item Supplied			
1	ICT Lab Register, Blank Sheet of A-Blank DVD with Cover	Consumables 4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, (R/W)-50, White board Marker with Duster- 12	1st Yr 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
2	E	lectricity due fully cleared	1st Yr. 2nd Yr. 3rd Yr 4th Yr 5th Yr.			
3	No pend		1st Yr. 2nd Yr. 3rd Yr. 4th Yr 5th Yr.			
SI. No.		SOFTWARE WORKING ST Particulars	TATUS Status			
	A STATE OF S		Available(Yes No)			
2	Facilities available for Students' learning/ Peer assessment at School (OES working or not)		Available(Yes No)			
3	All education software i.e. ERA, OES, AAMA school dot com,9th & 10th e Content, Edu sat, e-Vidyalaya attendance in Desktops & Clients		Available(Yes / No)			
4	10 OS-CIT books received at School		Yes / No			
Name of School Coordinator worked till 20th August, 2019 BAIJAYANTI SAHOO Contact no. of SC: 933 #31 #420						
, and	Rajani Kanta Ma					
11-11-11-1	Signature of Implementing Partner's re	P71 #	Signature of HM/HM In-Charge			
		F 11 * C	Govi. W. High School, Jan			

0936 Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Sonali Behera

ID no:

Teaching Subject(s): TLS

OS-CIT Certified: Yes/No

Date of Birth (DD/MM/YYYY): 11.06.1989

Father's Name: Bolakam Behaka

E-Mail ID:

Contact no: 9668631141

Teaches through e Content:Yes/No

Name: Liyakuddin khan

ID no:

Teaching Subject(s): Math. SC.

OS-CIT Certified: Yes/No No

Date of Birth (DD/MM/YYYY):

Father's Name: Najeruddin Khan

E-Mail ID:

Contact no: 6371911933

Teaches through e Content:Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Sonali Behera

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Liyouxuddin khan

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

Rojani Kanta Nomea,

Stamp & Signature of HM
High School, Jamara



ODZ3-CUTA-0936 M-2