ICT Lab Status Report of ICT@Schools Project (Phase-IV)

UIDSE Code:	21070712101	**Date:**	28/9/2020
District:	MAYURBHANJ	**Block:**	BISOI
Name of School :	DR. H.K MAHATAB H/S, LUHAKANI		
Address:	AT/PO - LUHAKANI, VIA - BISOI	**Implementing Parnter Code:**	ODZI-MAYU-0733
Head of the Institution Name:	RAMPRASAD MOHANTA	**Phone No:**	7328029113

ICT LAB ASSETS

Sl. No.	No. of Computer	Make / Specification	Availability/ Working Status(Pl. tick as per applicability)
1	Desktop(Server)	X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer,10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Desktop(Stand By)		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 01	19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and optical mouse with Shared device	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 02		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 03		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 04		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 05		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 06		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 07		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 08		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 09		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
	Node 10		Available(Yes ✓ / No____) Working (Yes ✓ / No____)
2	Integrated Computer Projector K-Yan	Projection System:DLP Technology:Brightness:2500-ANSI Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable TV tuner	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
3	Interactive White Board (IWB) SMART	Active Size: Minimum 77" diagonal Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
4	MFP Printer(HP/RICOH)	Mode: up to 18 ppm, print technology: laser, print quality black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution , optical: up to 1200 dpi, certified by IDC	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
5	Online UPS(Delta)	ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load , input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
6	Networking Switch(16 Port)	D-Link	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
7	Servo Stabiliser(Protect)	5 KVA(1 phase servo motor operated line voltage corrector), input range : 50v-270 v(Single Phase), Mounting: On wheels. Output range : 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
8	Silent Generator Set Champ/Perfect)	ISO 9001 certified minimum 3 KVA petrol/Diesel based silent generator set with safe cabling and installation	Available(Yes ✓ / No____) Working (Yes ✓ / No____)

Sl. No.	Quantity	Make / Specification	Status
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
10	Headphones(40)	Headphone with Mic	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
13	Computer Table 13 Units	Tajpuria	Available(Yes ✓ / No _____)
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes ✓ / No _____)
15	Ceiling Fan(2)	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
16	Exhaust Fan(2)	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
17	Tube Light(4)	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
19	Electrical Meter	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
20	Earthing	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
21	Networking	NA	Available(Yes ✓ / No____) Working (Yes ✓ / No____)
22	Vinyl Flooring	Vinyl	Available(Yes ✓ / No____)
23	Painting	NA	Available (Yes ✓ / No_____)
24	Curtain	NA	Available(Yes ✓ / No_____)
25	Wall Clock	NA	Available(Yes ✓ / No_____)
26	Notice Board	NA	Available(Yes ✓ / No_____)
27	White Board	NA	Available(Yes ✓ / No_____)
28	Lab Cleanliness kit	NA	Available(Yes ✓ / No_____)
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes ✓ / No_____)

Recurring Services

Sl. No.	Particulars	Item Supplied
1	Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12	✓ 1st Yr. ✓ 2nd Yr. ✓ 3rd Yr. ✓ 4th Yr. ✓ 5th Yr.
2	Electricity due fully cleared	✓ 1st Yr. ✓ 2nd Yr. ✓ 3rd Yr. ✓ 4th Yr. ✓ 5th Yr.
3	No pendency in payment of Genset Fuel	✓ 1st Yr. ✓ 2nd Yr. ✓ 3rd Yr. ✓ 4th Yr. ✓ 5th Yr.

SOFTWARE WORKING STATUS

Sl. No.	Particulars	Status
1	Facilities available for Teachers' training at School (ERA working or not)	Available(Yes ✓ / No_____)
2	Facilities available for Students' learning/ Peer assessment at School (OES working or not)	Available(Yes ✓ / No_____)
3	All education software i.e. ERA, OES, AAMA school dot com,9th & 10th e Content, Edu sat, e-Vidyalaya attendance in Desktops & Clients	Available(Yes ✓ / No_____)
4	10 OS-CIT books received at School	Yes ✓ / No_____

SCHOOL COORDINATOR DETAILS

Name of School Coordinator worked till 30th June, 2020	Kshyemankar Mohanta	Contact no. of SC: 7978232131
IL&FS EDUCATION AND TECHNOLOGY SERVICES LTD. BHUBANESWAR Signature of Implementing Partner's representative		RP. Mohanta 28.09.20 Signature of HM/HM In Charge

Headmaster
Dr. H. K. Mahatab High School
Bhakan, Mayurbhanj

Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Ramprasad mohanta	**Name:** Bisweswar Mohanta
ID no: ~~ramprasadmohanta@~~	**ID no:**
Teaching Subject(s): English, MIL	**Teaching Subject(s):** Science
OS-CIT Certified: Yes / No	**OS-CIT Certified:** Yes / No
Date of Birth (DD/MM/YYYY): 07.07.1964	**Date of Birth** (DD/MM/YYYY): 03.08.1968
Father's Name: late Bhimcharan mohanta	**Father's Name:**
E-Mail ID: ramprasad mohanta@7gmail.com	**E-Mail ID:** Ananta ch. mohanta
Contact no: 7328029113	**Contact no:** 9040067784
Teaches through e Content: Yes/No	**Teaches through e Content:** Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities. R.P. mohanta 24/8/20 Signature of Teacher	This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities. Bisweswar Mohanta 26/8/20 Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

R.P. mohanta 26-8-20

mp & Signature of HM

Headmaster
Sri. H. K. Mahatab High School
Pibakani, Mayurbhanj