STRING Code 2 2 4 5 15 9				ICT Lab Status Report of ICT@Scho	ols Proje	ect (Phase-IV)	
Bandreit Rodyta glad Address Bandreit Bandrei	UIDSE	Code:	21270	515901	Date:	8.08.3	2020
Internative A. Projection	-		Rayagad	a	Block:		
March 1 Sept				school, Pujaniguda		0,	
Signate Section Sect					Imple		ODG PHYH 3413
Signate Desktop(Stewery	nead of	the histitution	i Name:			Phone No:	9178483586
Desktop(Sterver) Oscillated (Yes _ No _ Working (Yes _ No _ No _ Working (Yes _ No _ Working (Yes _ No _ No _ Working (Yes _ No _ N	Sl. No.	No.	of Computer		T	Availability/ Work	ing Status(Pl. tick as per applicability)
Desktop(Stand By) Desktop(Stand		Des	ktop(Server)		Available		
Node 01				cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19. Inch or higher LED monitor, Built-in audio, 300 Watt Desktop	7		
Node 02 Node 03 19- inch or higher 1ED monitor with static contrast 1000. Node 04 Translation of 1440 900 and VGA commonicity with natural belask flinish, brightness 250 outs, viewing sugle 170 Node 05 degrees 160 degree/contrastl-verteals, value anomalism, post 100 Node 07 VGA, with Windows conflication with EDPLAT Node 07 VGAD, with Windows conflication with EDPLAT Node 07 Node 07 Node 07 Node 07 Node 07 Node 07 Node 09 Node 09 Node 09 Node 09 Node 10 Projection System EDP Technology-Brightness 250-ANS Lamens(Short Throw/Resolutions System State Technology-Brightness 250-ANS Lamens(Short Throw/Resolutions System System State Technology-Brightness 250-ANS Lamens Short Throw/Resolutions System State Technology Brightness 250-ANS Lamens Short Throw/Resolutions System State Technology Brightness 250-ANS Lamens Short Throw/Resolutions System State State Technology Brightness 250-ANS Lamens Short Throw/Resolutions System State Technology Brightness 250-ANS Lamens Short Throw/Resolution System Short Throw/Resolutions System Short Throw/Resolutions System Short Th			Node 01	keyboard and optical mouse with at least 2 free full height PCI slots			
Nocke 03 Nocke 04 Projection of higher LED monitor with static contract 100c) Nocke 05 Monitor 05							
Node 04 Node 05 resolutions of 1440 x 900 and VQA connectivity with many least faith, in high princip and 19 of degrees (160 degrees/net/costal-vorteal), val an accurate provided more with Standard device Node 06 VQA, validable (Ves No	1	Node 03		resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and			
Node 05	1						
Node 07 Node 08 Node 09 Node 10 Projection System:DLP Technology Engineers 2500-ANSI Lamena(Short Throw)Resolution: SVGA(800 s600), Node 10 Projection System:DLP Technology Engineers 2500-ANSI Lamena(Short Throw)Resolution: SVGA(800 s600), Note 11 Node 10 Projection System:DLP Technology Engineers 2500-ANSI Lamena(Short Throw)Resolution: SVGA(800 s600), Note 11 Node 10 Note 11 Node 10 Note 11 Node		Node 05			Available	e(Yes/ No_) Working (Yes/ No)
Node 07 Node 10 Node 10 Node 10 Projection System DLP Technology Highbour 2500-ANY Available(Yes/NoWorking (Yes/No		Node 06			Available	e(Yes / No) Working (Yes // No)
Node 10 Node 10 Node 10 Node 10 Projection System.DLP Technology: Brightness 2590-ANNIAD Available(Yes/No) Working (Yes/No) Available(Yes/No) Working (Yes/No) Available(Yes/No) Working (Yes/No) Projection System.DLP Technology: Brightness 2590-ANNI Lamens(Short Throw)(Beolution: SVGA(809 s900); Contract Ratio: 2590-1 Computer System: X50 excitate-ture, 2. GRI or inflame with or computer or system: X50 excitate-ture, 2. GRI or inflame with or computer or system: X50 excitate-ture, 2. GRI or inflame solitor or No. Minimum Aviii. 3. GRI or inflame solitor or DVD RW, viricion is keyboard & optical excitation of the system of the		Node 07					
Node: 10 Projection System:DLP Technology: Brightness:2500-ANSI Lament(Short Throw) Resolution: SVGA(800 set0): Contract Ratio: 2500-1 Computer System: X96 architecture, 3.2 CHr or higher with 4 dedicated cores, Minimum 4 Mit, 1.2 sedae, compatible shipset with 18 preplica (4 DB DDR) Report HDD, Optical Drive DVD RW, wireload X-DL DDR Report HDD, DDR Report HDD, DDR Report DVD Report Report HDD, Report HDD, Report HDD, PDR Report HDD, Optical Drive DVD RW, wireload X-DL DDR Report HDD, PDR Report HDD, Report HDD, Report HDD, PDR Report HDD, Reporessed & Uncompressed, PDF, GTH, RDP, Sear resolution, optical rep		1	Node 08				
Available(Yes / No Working (Yes / No Working (Ye		Node 09			Available	(Yes // No	
Projection System: DLP Technology: Brightness: 2500-ANSI Lament(Short Throw)Resolution: SVGA(800 oS)001; Contrast Ratio: 25001. Computer System: X86 architecture, 3.7 GHz or Higher with 4 declared cores, Minimum 4MB, 1.3 coho, compatible to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 Available(Yes/ No Working (Yes/ No RM evaporable to 16 GH, 300 of Serial SATA II 200 of Serial SATA II		Node 10					
Active Area. Minimum active area 156 cm W × 117 cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Appear Ratio: 4.3 Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-crase markers and easily clemed with whiteboard cleaner or incoproyal debod (IPA), Operating System: Windows XP SP3, Windows Vistag SP2 or Windows 70 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 nA at 5 V), Mast obtain power from the computer Mode: up to 18 ppm, print technology: Isser, print quality black(best): up yo 600x000 dpi(1200 dpi effective), display; at least 2-line LCD, processor speed: minimum 400 MFLz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T- Effect and Start All Helphon port, Duples, printing: Automatic seamer type: Flatbed, ADF, Soan file format: JPEG, TIFCCORPRESS de Uncorpressed, PDF, GIF, BMP, Soan resolution, optical: up to 1200 dpi, certified of unline UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 99% or better orrated full load, input power factor 0-9.9, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and adolling, With Do, set compatibilities, frequency range 50+/6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output Networking Switch(16 Port) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Silent Generator Set	2	Integrated Com	puter Projector K-Yan	Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HID graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HIDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN,	Available	Yes // No_) Working (Yes/ No)
black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: his peed USB 2.0 port, 10/100 base T- Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic seamer type: Flatbed, ADF, Scan file format. PEG, THF(Compressed & Uncompressed, DPF, GIF, BMP, Scan resolution, optical: up to 1200 dpi, certified by IDC ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output Networking Switch(16 Port) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes/ No) Working (Yes/ No) Available(Yes/ No) Working (Yes/ No) Available(Yes/ No) Working (Yes/ No)	3			Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-crase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multitouch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100	Available	(Yes/ No_) Working (Yes/ No)
power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output Networking Switch(16 Port) D-Link Available(Yes // No //	4	MFP Prin	ater(HP/RICOH)	black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution, optical: up to 1200 dpi,	Available	(Yes/ No_	
5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload out-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp:: 0 to 50 degree Celsius 8 Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based	5	Online UPS(Delta)		power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the	Available	(Yes/ No) Working (Yes/ No)
5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload out-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp:: 0 to 50 degree Celsius 8 Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based	6	Networking Switch(16 Port)		D-Link	Available(Yes / No	Working (Yes / No)
Available/Ves / No Working (Ves / AT	7	Servo Sta	biliser(Protect)	input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating			
	8				Available(Yes // No_) Working (Yes/ No)

Web Cam				
Hosdphone Shrer(10)	0)			
Portable Carbon Disorde Handhold fire extinguishers as par IS specification	·o)			
12 Fire Estinguisher IS specification Available(Yes/No) Morking (Yes/No) 13 Computer Table 13 Units Tisjouria Available(Yes/No) 14 Armless & Armed Chair (40+1) Units Unna Plastic Available(Yes/No) 15 Ceiling Fan(2) NA Available(Yes/No) Working (Yes/No) 16 Esthaust Fan(2) NA Available(Yes/No) Working (Yes/No) 17 Tube Light(4) NA Available(Yes/No) Working (Yes/No) 18 Switches, Sockets 5 A-240 V Switches 2 in 1-5 Amol 15 A Socket / 15 A-240 V 19 Electrical Meter NA Available(Yes/No) Working (Yes/No) 10 Earthing NA Available(Yes/No) Working (Yes/No) 11 Networking NA Available(Yes/No) Working (Yes/No) 12 Networking NA Available(Yes/No) Working (Yes/No) 13 Painting NA Available(Yes/No) Working (Yes/No) 14 Curtain NA Available(Yes/No) 15 Wall Clock NA Available(Yes/No) 16 Esthaust Endowment Endow	·o)			
Armiless & Armed Chair (40+1) Units	[o)			
15 Ceiling Fan(2)				
Rechassist Fan(2) NA				
Tube Light(4) NA Available(Yes _/ No_) Working (Yes _/ No_) Socket with shutter NA Available(Yes _/ No_) Working (Yes _/ No_) Electrical Meter NA Available(Yes _/ No_) Working (Yes _/ No_) Earthing NA Available(Yes _/ No_) Working (Yes _/ No_) NA Available(Yes _/ No_) Working (Yes _/ No_) NA Available(Yes _/ No_) Working (Yes _/ No_) Vinyl Flooring Vinyl Available(Yes _/ No_) Working (Yes _/ No_) Vinyl Flooring NA Available(Yes _/ No_) Available(Yes _/ No_) Vinyl Flooring NA Available(Yes _/ No_) Working (Yes _/ No_) Available(Yes _/ No_) NA Available(Yes _/ No_) White Board NA Available(Yes _/ No_) The consumables Recurring Services NA Navailable(Yes _/ No_) Available(Yes _/ No_) Available(Yes _/ No_) The consumables Consumables Consumables Consumables Light Tibe Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drive-2, Blank DVD with Cover (RW)-50, White Doard Plat Yr. \$\text{2}\text{2}\text{nd Yr. }\text{2}\text{3}\text{rd Yr. }\text{2}\text{3}\text{rd Yr. }\text{2}\text{3}\text{rd Yr. }\text{2}\text{rd Yr. }\tex	[o)			
Switches, Sockets 5 A-240 V Switches/2 in 1-5 Aand 15 A Socket/ 15 A-240 V Socket vith shutter NA Available(Yes _/No_) Working (Yes _/N No_) Wallable (Yes _/N No_) Working ([o)			
Switches, Sockets Socket with shutter Available (Yes/ No) Working	lo)			
Networking	lo)			
Networking NA Available(Yes/ No) Working (Yes/ No) Vinyl Flooring Vinyl Available(Yes/ No) Painting NA Available(Yes/ No) Available(Yes/ No) Wall Clock NA Available(Yes/ No) NA Available(Yes/ No) NA Available(Yes/ No) White Board NA Available(Yes/ No) NA Available(Yes/ No) Internet Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others) Recurring Services Item Supplied Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSNb)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12 Electricity due fully cleared NA Available(Yes/ No) Available(Yes/ No) Available(Yes/ No) SI Yr. \$\sqrt{2}\text{Int Myr.} \$\sqrt{3}\text{Tri Myr.} \$\sqrt{3}\te	Io)			
Vinyl Flooring Vinyl Available(Yes \(\sigma / \text{No} \) 23	lo)			
Painting NA Available (Yes / No) NA Available (Yes / No) Wall Clock NA Available (Yes / No) White Board NA Available (Yes / No) NA Available (Yes / No) Internet Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others) Recurring Services SI. No. Particulars Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packeta, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster-12 Electricity due fully cleared NA Available (Yes / No) Available (Yes / No) SI Yr. Znd Yr	lo)			
24 Curtain NA Available(Yes/No) 25 Wall Clock NA Available(Yes/No) 26 Notice Board NA Available(Yes/No) 27 White Board NA Available(Yes/No) 28 Lab Cleanliness kit NA Available(Yes/No) 29 Internet Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others) Available(Yes/No) 29 Recurring Services SI. No. Particulars				
Notice Board NA				
Notice Board NA Available(Yes/No) Recurring Services SI. No. Recurring Services SI. No. Particulars Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12 Electricity due fully cleared NA Available(Yes/No) Available(Yes/				
NA Available(Yes \(\subseteq \) No)				
Lab Cleanliness kit NA Available(Yes/No)				
Internet Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others) Available(Yes / No)	Available(Yes/ No)			
Recurring Services Recurring Services Recurring Services				
SI. No. Particulars Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12 Electricity due fully cleared SoftWare Working STATUS				
Consumables 1 ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12 2 Electricity due fully cleared 3 No pendency in payment of Genset Fuel SOFTWARE WORKING STATUS				
ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster-12 Electricity due fully cleared No pendency in payment of Genset Fuel SOFTWARE WORKING STATUS				
No pendency in payment of Genset Fuel	. ✓5th Yr			
No pendency in payment of Genset Fuel	5th Yr			
Q _{1,4,}				
SI. No. Farticulars Status				
Facilities available for Teachers' training at School (ERA working or not) Available(Yes				
2 Facilities available for Students' learning/ Peer assessment at School (OES working or not) Available(Yes	Available(Yes No)			
All education software i.e. ERA, OES, AAMA school dot com,9th & 10th e Content, Edu sat, e- Vidyalaya attendance in Desktops & Clients Available(Yes/No)	Available(Yes/No)			
4 10 OS-CIT books received at School ECHNOLO Yes / No	Yes No			
SCHOOL COORDINATOR DETAILS				
Name of School Coordinator workerstill 30th June, 2020 Gopinath Adhikani Contact no. of SC: 775088	3430			
/9/	87			
Signature of Implementing Partners representative	Charge P			
Signature of Implementing Partners representative Signature of HM/HM In				

Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: S. NagabhushanaRao

ID no:

Teaching Subject(s): English.

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY): 20.07-87

Father's Name: S. Gananayakul

E-Mail ID: SNagababashanRapstegned

Contact no: 9668120718.

Teaches through e Content: Yes/No

Name: ARTTATRAN SARANGI

ID no:

Teaching Subject(s): MATH

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY): 25.05.80

Father's Name: V Tengunu Larang

E-Mail ID: ADIO180@grani cam

Contact no: 9378919465

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

S. Nagabhushana Rad

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Askahan Sarangi

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

